STATE OF ILLINOIS

ILLINOIS COMMERCE COMMISSION



Petition for permission to make a major change in crossing protection, or to install new protection under 92 Illinois Administrative Code 1535.400 (d).

(Attorney for Petitioner)

Norfolk Southern Corporation Three Commercial Place Norfolk, VA 23510-2191

(Attorney's Address)

X-11859 T01-0070 Date: Illinois Commerce Commission RAIL SAFETY SECTION

August 30, 2002

Aummisua	107 C.	
To the ILI	LINOIS COMMERCE COMMISSION:	
The petition	oner Norfolk Southern Railway Co	ompany shows
(1)	That it is a railroad company operating a line of railroad	ad in the State of Illinois.
(2)	That petitioner proposes and hereby makes application protection, or to install new protection, under 92 Illino this Commission.	n for authority to make a major change in crossing ois Administrative Code 1535.400 (d) adopted by
(3)	That the location of the crossing, nature of protection r and other pertinent facts in connection therewith, are s part of this petition.	now established and proposed to be established, set forth in the statement attached to and forming
(4)	That petitioner's reasons and purpose, with reference to	o its said proposal are to:
	Modification of Grade Crossing Warning Devices recat: Howe St. in Jacksonville, Morgan County, Illino	
	File No. 061-04.311	Project No. 04.0499
(5)	That the facts set forth in this petition and in the statem them, true and correct to the best of petitioner's knowledge.	nent and plans or plats attached thereto, are, all or edge and belief.
the aforesa	ORE, the petitioner prays that the Commission will, aid matter for hearing, and that the Commission entonting authority for the making of the said proposed	er an order or adopt at resolution consenting
		Norfolk Southern Railway Company
		By <i>Z.J.</i> R
		R. H. Ray, Administrator Highway Grade Crossings
Th	omas W. Ambler	

DOCKETED

Statement, attached to and part of an application for permission to make a major change in crossing protection or to install new protection, under 92 Illinois Administrative Code 1535.400(d).

1	Name of Railroad Company	Norfolk Southern Railway Company	
		479 402H	
			_
		Jacksonville	_
		Howe Street	_
5.	Public Agency Maintaining Highway	City	_
6.	Protection now established:		
	Automatic Flashing Light Crossing Sig	nals with Bell and Crossbucks	
			_
7.	Protection desired:		
	Modify grade crossing warning devices	s to Flashing Light Crossing Signals with Gates	_
	controlled by constant warning time de	etection devices.	
			_
8.	Number of main tracks One	Other tracks None	_
9.	Number of passenger movements:		
	6 a.m. to 6 p.m. None	6 p.m. to 6 a.m. None	_
10.	Number of freight train movements:		
	6 a.m. to 6 p.m7	6 p.m. to 6 a.m. 11	_
11.	Approximate number of switch movemen		
		6 p.m. to 6 a.m. <u>1</u>	
12.	Maximum speed of trains at crossing on e		
	•		
	_		-
		* d 1 * ' C 1 1 : ' Y 2 : C	
13.	Passenger platforms served by tracks with	in the limits of track circuits, if any None	
			_

14.	Where automatic signals or gates are proposed, approximate number of train or engine movements daily which would cause false indications or operation:
	None
15.	Nature and approximate amount of street or highway traffic over crossing:
	850 AADT including cars and trucks
16.	In addition to the information listed hereinbefore in Form 3, attach a track plan or plat of the proposed crossing. This plan should show:
	(a) Width and surface of highway.
	(b) Highway intersections (including private driveways to be so indicated) and location of established highway signs or signals within 100 feet of crossing.
	(c) Location of tracks, switches and other railroad facilities such as block signals, etc. within limits of track circuits, present and/or proposed.
	(d) Where automatic protection is proposed, show proposed location of signals (side lights, cantilevers, etc., if any).
	(e) Show the length of each operating track section within the control limits of the crossing protection and its function.
	ADDITIONAL INFORMATION
Dr	awing attached for question no. 16

(File Original and Two Duplicates)

VERIFICATION

I, <u>R. H. Ray</u> , f	irst being d	aly sworn upon oath depose and say that I am
Administrator - Highway Grade Crossings	, of	Norfolk Southern Railway Company , a
Virginia corporation; that I have read the about contents thereof; that said contents are true in substantinformation and belief, and as to those, I believe same	nce and in fa	
	_	RAR
	_	Administrator - Highway Grade Crossings
Subscribed and sworn to before me this30		
day of 20 <u>02</u> .		
Notary Public (Georgia) or Witness		
My Commission Expires:		

Detailed Estimate for Grade Crossing Warning Devices

City/Stat JACKSONVILLE, IL

Road: HOWE ST.

MilePost: DH-447.15

DOT/AAR: 479402H

State Proj.

S&&E Proj. 04.0499

County: MORGAN AFE:

Man Days: 104

File 061-04.311

Purchases - Other

Meals and Lodging:

\$8,290.00

Rental of Equipment:

\$18,120.00

(2 Trucks, 1 Backhoe w/ Trailer and 1 Pipe-Pusher for 26 Days)

Construction Supervision Vehicle:

\$340.00

Contingencies:

\$600.00

Purchases - Other Total:

\$27,350.00

*** Material and Additives***

Material Cost:

\$85,630.00

Sales and Use Tax:

\$4,280.00

Material Handling Freight:

\$8,130.00

Material Total:

\$98,040.00

Labor and Additives

Labor Cost:

\$21,320.00

(4 man crew at \$820.00 a day for: 26 days)

Payroll Tax & Overheads:

\$18,460.00

Preliminary Engineering:

\$17,410.00

Construction Supervision:

\$6,020.00

Labor Total:

\$63,210.00

Subtotal

\$188,600.00

Credit:

\$0.00

(Salvage/Scrap)

Project

\$188,600.00

Estimated on: 20-Aug-02

Estimated by: ndr3j

Estimate valid for 1 year from date of estimate



Highway Crossing Signalization Program - Material List

Do not substitute items without permission from S & E Engineering

 Set - Material Management with original invo Sets - with plans shipped in car with material Set - S&E Gen. Supt. Construction w/ copy or 	Vendor to supply the folio	Tax Code:	Supervisor:	Store Number:	A F E Number:	File Number:	Project Number:	A A R Number:	County:	State Project Number:	Drawing Number:	Milepost	Road:	City:
Set - Material Management with original invoice Sets - with plans shipped in car with material Set - S&E Gen. Supt. Construction w/ copy of invoice	Vendor to supply the following copies after pricing:	1200	D.J. HOLLINGSEAD			061-04.311	04.0499	479402H	MORGAN		SFDH44715	DH-447.15	HOWE ST.	JACKSONVILLE

20-Aug-02

.ocatic	LOCATION: JACKSONVILLE	ב ב	000	Car i oj. 140 orionos							
Store No.:	Vo.:		P.O.	P.O. Number:	Date Required: Date Shipped:	***		Vendor:	Safetra	Vendor: Safetran Systems Corp.	Corp.
Qty.	Class-Item-CD	⊆	Price per Item	Total Price	Item Description	Quantity I Shipped C	Quar Date Quan.	Quantity Installed te Date En. Quan. Quan.)ate	Quantity Returned (Credit)	Special
ω	670-360693-4	EA	\$4.82	\$14.46	AAR/DOT NUMBER PLATE/DECAL, ORDER 3 PER PROJECT. 60 DAY LEAD TIME. SUPPLIED BY S'TRAN						
	670-010827-4	EA	\$238.23	\$238.23	AND GATE, SAFETRAN A90975						
2	670-001321-4	E	\$246.66	\$493.32	ARM, GATE FIBERGLASS-ALUMINUM 17-24 FT., L&W OR US&S OR SAFETRAN 076600-240017 OR				;		
12	165-021628-4	Ę	\$7.61	\$91.37	ARRESTER, LIGHTNING CLEARVIEW W/O BASE USS PART N451552-0201 SAFETRAN PART @022485-28X CR02-025565						
ಭ	105-871901-4	EΑ	\$154.22	\$2,004.81	BATTERY, GNB 265AH MODEL 50A11 SINGLE CELL 2.25 VOLTS						
	670-503047-4	EΑ	\$185.75	\$185.75	BELL, CROSSING ELECTRONIC GENERL SIGNAL, EB-3- 360-5 CR 02-044350						:
6	670-058281-4	ΕA	\$11.25	\$67.48	BLOCK, UNIVERSAL TERMINAL OF 12 SINGLE POST SAFETRAN 023390-11X, W-C 2508-112E W-NUTS & WASHERS CR 02-048757		-				i
N	670-561375-4	Ę	\$1,201.20	\$2,402.40	BRACKET, GATE SAVER, NEG385102GS, SPRING LOADED SWING AWAY ADAPTER FOR FIBERGLASS/ALUMINUM GATES, USE WITH GATE 28' AND LESS						·
N	670-000977-4	E A	\$57.98	\$115,95	BRACKET, HIGH WIND SUPPORT HARMON @54-00139, SERRMI @50044 SAFETRAN 076203-518X						
3300	465-292862-4	두	\$1.00	\$3,309.57	CABLE, U-2-6 TWISTED, S-23 OKONITE 113-12-3933 SOLID TINNED CONDUCTOR						
300	465-292929-4	H	\$3.00	\$899.58	CABLE, U.G. 5 COND. NO. 6 AWG SOLID COPPER CABLE TO MEET NS CORP. SPEC. FOR SIGNAL						
3400	465-939422-4	5	\$2.56	\$8,698.90	CABLE, UG 12 CONDUCTOR NO 14 AWG SOLID EACH CONDUCTOR WITH 5/64 IN INSULATION 10 MIL						
3000	465-292614-4	5	\$1.28	\$3,837.90	CABLE, UG 18 PAIR NO. 19 JELLY FILLED, USED FOR CODE CABLE AT AREAS ELECTRONIC CODING EQUIP.						
200	465-277674-4	Ŧ	\$2.80	\$560.82	CABLE, UG 3CD NUMBER 6 FOR HIGH CURRENT AC POWER OKONITE 206-11-6 243						

APPROVED BY STATE

APPROVED BY RAILROAD

CAR NUMBER

SEAL NUMBER

≫
Ū
┰
ᄁ
0
<
Щ
O
$\boldsymbol{\omega}$
\prec
S
4
>
큐
ш

APPR
OVED
BYR
AILROAD

င်္ဂ	Location: JACKSONVILLE	E	IL S&E F	S&E Proj. No.: 04.0499	39 AFE No.: Drawing No.:	SFDH44715	715		-		Page 2/
Store	Store No.:		P.O. 7	P.O. Number:	Date Required: Date Shipped:	₽.		Vendor:	Safetrai	Vendor: Safetran Systems Corp.	Corp.
Qty.	Class-Item-CD	⊆	Price per Item	Total Price	Item Description	Quantity Shipped	Quar Date Quan.	Quantity Installed e Date E n. Quan. Q)ate	Quantity Returned (Credit)	Special Instructions
80	165-544477-4	긔	\$2.00	\$159.65	CONDUIT, 4"x10' PVC, SCHEDULE 80 BELL CONNECTOR AT ONE END, 1/2 PT. GLUE IN KIT 670-123298-4						
ω	165-299316-4	EA	\$16.89	\$50.66	CONDUIT, PVC CASE OUTLET 4 IN. X 29-1/2 IN. SCHEDULE-80 WITH 4 IN. COUPLING, CARLON E940N,						
	670-090450-4	<u>E</u>	\$49.62	\$397.00	CONNECTOR, WELDED FAR RAIL HARMON A1000-2W						
ω	670-486646-4	E.	\$40.66	\$325.28	CONNECTOR, WELDED NEAR RAIL HARMON A1000-1W						
2	670-793404-4	₽	\$838.38	\$1,676.76	COUNTERWEIGHT PKAGE, 17-24'GATE STRAN S- MECH ONLY, STAINLESS, TO INCLUDE HUB, SUPPORT ARMS						
ا ن	670-760012-4	<u> </u>	\$34.90	\$174.49	COVER, FOR 1 WAY FLASHING LIGHT ASSY. 18 OZ. BLACK VINYL COATED NYLON. ====TO COVER 2 LAMPS====						
ω	670-080337-4	₽	\$0.73	\$2.18	DECAL, X'ING SIGNAL MALFUNCTION 11" X 4", GATE MOUNT						
ယ	670-077544-4	ΕA	\$0.54	\$1.63	DECAL, X'ING SIGNAL MALFUNCTION 6" X 6", MAST MOUNT	-					
	670-986650-4	₽ .	\$361.26	\$361.26	DISPOSAL, CONSTRUCTION DEBRIS AND CLEANING X'ING EQUIPMENT CONTAINER						
_	670-000004-4	E.	\$281.44	\$281.44	FCC LICENSE FOR MONITOR/RADIO						
4	670-000003-4	Ę	\$255.85	\$1,023.40	FILL/STONE #57, QUANITY IS BASED ON TRUCK LOAD PLUS DELIVERY COST						
2	670-015231-4	₽	\$381.69	\$763.37	FOUNDATION, DIXIE, S-2 GATE 5'6" ASSEMBLED						
	670-974821-4	Ē	\$39.86	\$39.86	INDUCTOR, SIMULATED TRACK SAFETRAN 8V617-2200						
N	670-491904-4	Ψ.	\$52.71	\$105.41	INDUCTOR, SIMULATED TRACK SAFETRAN 8V617-600						

CAR NUMBER

SEAL NUMBER

2/5

Store No .	Store No .	į	i O	O Number	Date Required:	-		Vendor ·	Safetra	Safetran Systems Com	Com
Qty	Class-Item-CD	⊆	Price per Item	Total Price		Quantity Shipped	Quan.	Quantity Installed e Date D n. Quan. Q	Date Quan	Quantity Returned (Credit)	Special
	670-477991-4	₽	\$292.81	\$292.81	KIT, GROUNDING ASSY FOR AL I/S INCLUDES 8 GRD RDS,200#4WIRE,12 4 WIRE ONE-SHOTS. ERICO SBK206						
N	670-123298-4	EA	\$225.10	\$450.19	KIT, HARDWARE SUPPLIES REQUIRED X'ING P'CKAGES. WEB CONNECTORS FOR SHUNT(8EA) TAPE, AMPS,P'GUM PAINT,SLEEVES,TAGS,GLUE, 100 EA WHITE TAGS,)NE CAN BLUE MARKING PAINT ETC						
	670-745798-4	₽	\$490.26	\$490.26	LAMP ASSY, 4" GRD. MAST MTG. 1W IND. 20" BKGRD, FLX-12 W/BULB STRAN #042003-484XNS						
N	670-764166-4	5	\$907.09	\$1,814.18	LAMP ASSY, 5" MAST MTG. 2W IND. 20" BKGRD, FLX-12 W/BULB S'TRAN #042003-487XNS						
თ	165-643547-4	₽	\$8.43	\$50.60	LAMP, 18 WATT 10 VOLT S-11 SC BAY 18S11/1SC CLEAR RWY SIGNAL UJ-71463 GE						
74	670-440826-4	EA	\$1.01	\$14.18	LINK, SAFETRAN 024620-1X INSL TESTING COMP 1 IN CENTER SIGNAL CIRCUITS CR 02-286662						
4	255-590880-4	EA	\$15.62	\$62.47	LOCK, AMERICAN LOCK MODEL H-10KA KEYED ALIKE TO PRIVATE KEYWAY D456 AND STAMPED "NS SIG"						
	610-160272-4	5	\$1,319.57	\$1,319.57	MAST, 5" ALUMINUM (0&45) LEFT FOR LIGHT UNIT & BRACKET @ 45 DEG. LEFT W/DBL. JCT. BOX BASE #070519-153X-2						
.	670-637778-4	Ä	\$1,055.55	\$1,055.55	MAST, 5" ALUMINUM 13'10" WITH DOUBLE JCT. BOX BASE. S'TRAN P# 070519-11AX.						-
	670-000985-4	Ē	\$182.36	\$182.36	MAST, SIDELIGHT BRACKET F/5"MT. HARMON @225834- XXX, SAFETRAN 041442-26X,						
Ν	670-521147-4	EA	\$2,932.81	\$5,865.62	MECHANISM, GATE MODEL \$40, WITH CONTACT HEATER, COMPLETE W/RELAY S'TRAN # 074000-W00090						
2	670-014233-4	Σ	\$980.09	\$1,960.18	MODULE, DAX FOR 3000 GCP SAFETRAN #80016						
	670-014209-4	EA	\$1,502.10	\$1,502.10	MODULE, TRANSCEIVER FOR 3000 GCP SAFETRAN #80012						
	670-839472-4	<u>F</u>	\$2,901.80	\$2,901.80	MONITOR, HVYY XING,(DEMA-NS8-5M) W/ DUAL SENSOR & RITRON RADIO, FREQ. COMBO #5, CH 1 = 160.440MHZ, CH 2 = 161.250MHZ. INCLUDES WIRING AND INSTALLATION						

APPROVED BY STATE

APPROVED BY RAILROAD

CAR NUMBER

SEAL NUMBER

Price	AFE No.: Drawing No.: Date Required: Date Shipped	: :	Vendor: Safetran	Safetran Systems Corp.
Qty. Class-Item-CD UI Per Item Lescription		Quantity Installed Quantity Date Date D Shipped Quan. Quan. Quan.	Installed Feet Pate Pan. Quan.	Quantity Returned Special (Credit) Instructions
4 670-001347-4 EA \$57.98 \$231.90 A1250-5, HARMON @200965-000, OR	PACKAGE, HARDWARE SIGN 5 IN. MOUNTING, SERRMI A1250-5, HARMON @200965-000, OR			
1 255-646807-4 EA \$9.49 \$9.49 TYPE FOR CIR CONTROLLE	PADLOCK, SAFETRAN PART NO. 030399-29X SCREW TYPE FOR CIR CONTROLLER AND BTY. BOX			
2 670-278849-4 EA \$214.91 \$429.83 FOR 3 PAIR (INC. XMIT, REC	PANEL, SAFETRAN# 80026-36 1 TRACK SURGE PANEL FOR 3 PAIR (INC. XMIT, RECEIVE & CHECK)			
1 670-278068-4 EA \$307.02 \$307.02 ASSY (INC 1 AND GATE) FO	PANEL, SAFETRAN# 91044-01 VITAL AND GATE PANEL ASSY (INC 1 AND GATE) FOR MTG. 3 AND GATES			
2 610-719870-4 EA \$135.90 \$271.80 PEDESTAL ASSEMBLY, ARN POLYETHYLENE INCL 45" W	PEDESTAL ASSEMBLY, ARMORCAST P/N P6001205-NS, YELLOW 10"X11"X29" POLYETHYLENE INCL 45" WITH TERMINAL BLOCK			
1 670-514605-4 EA \$8.43 \$8.43 SAFETRAN NO. @035045-503X	PINNACLE, W-C SECT 1-11, 4"& 5" REF K1 110-8 OR SAFETRAN NO. @035045-503X		:	
6 670-555609-4 EA \$41.11 \$246.66 @7062-506 OR	PLUGBOARD, TYPE B-1 GRS A62-506 OR HARMON @7062-506 OR			
1 670-166532-4 EA \$140.72 \$140.72 PANEL PROTECTOR, SURGE 3-WIR PROTECTOR, SURGE 3-WIR PANEL	PROTECTOR, SURGE 3-WIRE PLUS GRD 120/240 JOSLYN ELECTRONICS 1259-21-A FOR I/S AC BREAKER PANEL	,		
6 465-002899-4 EA \$20.88 \$125.26 PACKAGES	REEL, CABLE DISPOSABLE FOR CROSSING SIGNAL PACKAGES			
6 670-707995-4 EA \$356.29 \$2,137.72 GRS A62-308 OR SAFETRAN	RELAY, TYPE B1, NEV LINE, 900 OHMS, 008 AMPERES GRS A62-308 OR SAFETRAN @400003			
1 670-786834-4 EA \$6,706.00 \$6,706.00 SAFETRAN P/N 058400-66-78 4 GND LUGS W/48" #4 SOLIE SHELVES, 3 TAG BOARDS/S SHIELD	SHELTER, BARE 6X6 ALUMINUM WIFARADAY, SAFETRAN P/N 058400-66-78, W/ADJ. PIERS 4 GND LUGS W/48" #4 SOLID COPPER PIGTAIL, 2 SHELVES, 3 TAG BOARDS/SHELF, AND ONE 3' FARADAY			
2 670-793474-4 EA \$14.40 \$28.80 WAY TERMINAL BLOCK		2-		
6 670-586967-4 EA \$34.74 \$208.47 #40271, ORDER 1 PER SHUNT	SHIELD, GROUND (SERRMI# 61223) FOR GROUNDING 12- WAY TERMINAL BLOCK			
2 670-652773-4 EA \$470.56 \$941.12 BAND SHUNT, MULTI-FREQ. #62775-1543 SAFETRAN NARR	SHIELD, GROUND (SERRMI# 61223) FOR GROUNDING WAY TERMINAL BLOCK SHUNT COVER WILAG SCREWS, 19"X19", SERRMI #40271, ORDER 1 PER SHUNT			

-	ι	J
-	т	7
_	3	_
7	λ	3
í	*)
	2	•
ľ	1	7
i	-	÷
٠,		J
	Π	
•	J	J
		7
	1	٦
1	٠,	n
٠,	,	٠
	-	-
٠	٠	Ġ
	۰	7
٠	•	۳
1		П

APPROVED	
BY RAILR	
S D	ļ

•	ኅ
3	ŕ
	r
•	דג
•	•
•	Z
:	=
ι	
- 3	~
	-
ı	J
	m
	•
	J

SEAL NUMBER

Total Material \$85,627.84

Location: JACKSONVILLE

=

S&E Proj. No.: 04.0499

AFE No.:

Drawing No.: SFDH44715

2			500	250	თ	თ	თ	ω	N	N	N	N	2	Oty.	Store No.:
450-986008-4		670-403183-4	465-999161-4	465-999111-4	670-007238-4	610-065626-4	165-917984-4	670-330382-4	670-006438-4	670-751511-4	670-806648-4	670-645460-4	670-688850-4	Class-Item-CD	ю: -
E A		E A	-	-	E.	m A	m A	꾸	T	Ę	E A	E >	E A	⊑	
\$7.35		\$24,436.00	\$0.17	\$0.30	\$137.14	\$16.66	\$4.22	\$10.75	\$10.54	\$35.58	\$56.42	\$526.00	\$370.27	Price per Item	P.O. 7
\$14.70		\$24,436.00	\$87.00	\$74.20	\$822.81	\$99.99	\$25.30	\$32.24	\$21.08	\$71.17	\$112.84	\$1,051.99	\$740.53	Total Price	P.O. Number:
WRENCH, TEST POST TYPE B DWG 55393-3, GR.1	SAFTRAN P/N T15383, USE WITH I/S 670-786834-4	WIRED RACK, 6X6 FARADAY, COMPLETE/GCP3000D2 SINGLE TRK, 20 AMP SSCCIII, 2 ISL MOD, 1 SAFTRAN CHARGER, 1 CRAGG CHARGER 2 RELAY RACKS,	WIRE, NO.16, 1 CONDUCTOR, CASE, FLEXIBLE, 19 STRAND, 2/64 IN. INSULATION CR 02-620254	WIRE, NO.10, 1 CONDUCTOR, CASE, FLEXIBLE 37 STRAND, 3/64 IN. INSULATION-ORDER EXT.AMT. NEEDED CR 02-620502	UNIT, THE INSTALLATION AND WIRING OF A DEVICE WHICH REQUIRE A MINIMUM OF FOUR WIRE CONNECT-	ULTRA-TECH 15206-01 CONNECTIVITY BLOCK FOR GRS B1 RELAY	TERMINAL, TEST, TYPE B GRS A62-515 OR HARMON @32118-001 OR	TAPE, THOR 3" DURATEC, ORANGE 1000' LENGTHS. "WARNING STOP DIGGING"	TAPE, 4" X 96" REFLECTIVE APPLY TO BACK OF X-BUCK SIGN. ONLY IN IA., IN., IL., AL. 035200-555X	SIGN, "1" TRACK, LESS HARDWARE SAFETRAN# 035207- 1X	SIGN, X-BUCK, LESS HARDWARE, SAFETRAN 035200-X CR 02-490546	SHUNT, MULTI-FREQ. #62775-8621 SAFETRAN NARROW BAND	SHUNT, MULTI-FREQ. #62775-3497 SAFETRAN NARROW BAND	Item Description	Date Required: Date Shipped
														Quantity Shipped	Ω.
														Quan.	,
	_													Quantity Installed Be Date D Company D Co	Vendor:
														Date Quan.	Safetr
														Quantity Returned (Credit)	Safetran Systems Corp.
														Special Instructions	Согр.